



CARACTERÍSTICAS DEL TEJIDO / FABRIC CHARACTERISTICS

Composición / Composition	100% Fibra acrílica teñida en masa / 100% Solution dyed Acrylic	
Tipo de tejido / Type of textile	Acrílico semi-impermeable / Acrylic highly water resistant	
Acabado / Finish	Resinado a 1 cara. Tratamiento especial "Infinity" para toldos: repele el agua y la suciedad generando una barrera anti-manchas y anti-moho, permitiendo transpirar a la lona / Resin coated one side. Special Infinity treatment for Awning applications. Anti-stain, rot-proof water repellent and breathable	BS 7209
Uso / Use	Exterior / Outdoor	

CARACTERÍSTICAS TÉCNICAS / TECHNICAL FEATURES

Peso / Weight	330 g/m ² ± 5% (ancho/width 120 cm)	UNE-EN 12127
	318 g/m ² ± 5% (ancho/width 152 cm)	
Espesor / Thickness	0,55 mm	UNE-EN ISO 5084
Ancho / Width	120 / 152 cm ±1%	
Longitud de pieza / Standard Roll Length	60 m	
Columna de agua / Water Column	≥ 1000 mm	UNE-EN ISO 20811
Resistencia a la Tracción (Urdimbre / Trama) / Tensile Strength (Warp / Weft)	155/90 daN/5 cm ±5%	UNE-EN ISO 13934-1
Resistencia al Desgarro (Urdimbre / Trama) / Tear Strength (Warp / Weft)	4/3 daN ±10%	UNE-EN ISO 13937-2
Solidez del color a la luz artificial - Xenotest / Colour fastness to artificial light - Xenotest	7-8	UNE-EN ISO 105 B02
Solidez del color a la intemperie artificial - Xenotest / Colour fastness to artificial weathering - Xenotest	4-5	UNE-EN ISO 105 B04
Repelencia al aceite / Oil Reppellency	≥ 4	UNE-EN ISO 14419
Repelencia al agua / Water Reppellency	≥ 4	UNE-EN ISO 4920



Resistencia color



Infinity Process

recacril®
DESIGN LINE
System



R-099 BLANCO / WHITE
120 / 152 cm




R-117 CRUDO / RAW
120 / 152 cm




NEW R-222 ROBLE PULIDO / OAK BUFF
120 cm



R-100 BEIGE
120 / 152 cm



R-139 TOSTADO / HEATHER BEIGE
120 cm



R-775 TWEED LINO / LINEN TWEED
120 cm



R-554 AMARILLO / YELLOW
120 cm



R-567 NARANJA / ORANGE
120 cm



R-176 ROJO / RED
120 / 152 cm



R-182 BERMELLÓN / VERMILLION
120 cm



R-177 BURDEOS / BURGUNDY
120 / 152 cm



R-195 CACAO
120 cm




R-156 MARRÓN / BROWN
120 cm




R-181 CAFÉ / COFFEE
120 cm



R-165 MALVA / MAUVE
120 cm



R-172 AZUL / BLUE
120 / 152 cm



R-173 AZUL FUERTE / DARK BLUE
120 / 152 cm



R-170 ALMIRANTE / ADMIRAL BLUE
120 / 152 cm




R-160 PISTACHO / PISTACHIO
120 cm




R-163 VERDE / GREEN
120 cm




R-102 VERDE MUSGO / FOREST GREEN
120 / 152 cm



R-138 NUBE / CADET GREY
120 / 152 cm



R-161 GRIS / GREY
120 cm



NEW R-198 NIQUEL / NICKEL
120 cm



R-164 ANTRACITA / CHARCOAL GREY
120 / 152 cm



R-103 NEGRO / BLACK
120 / 152 cm

reccril[®]
DESIGN LINE
System



R-060 BRONX
120 cm



R-063 BAYSIDE
120 cm



R-086 CONCORD
120 cm




Resistencia
color




Infinity
Process




NEW R-350 SELLA
120 cm



NEW R-351 ARGÁ
120 cm



R-430 BARÁ
120 cm



R-701 YECLA
120 cm



R-416 NERJA
120 cm



R-707 ARIDANE
120 cm

